

"PITTSBURGH PERFECT"

ELECTRICALLY WELDED WIRE FENCING



FOR HORSES,
HOGS,
STOCK AND
POULTRY.

BARBED AND
PLAIN WIRE.
WIRE NAILS.
FENCE STAPLES.



THE WELD THAT HELD

FOR SALE BY

PITTSBURGH
STEEL COMPANY
PITTSBURGH, PA.

"PITTSBURGH PERFECT" ELECTRICALLY WELDED FENCES

are enjoying phenomenal success, and are conceded to be far superior to any other fencing on the market. Thousands of pleased fence users will testify that the "Pittsburgh Perfect" Electrically Welded Fence

Will **stand** ordinary as well as **hard usage**.

Will **not sag** in Summer's heat nor break in the cold of Winter.

Is made of the **best material** for fencing purposes.

Has **stays** that **will not slip**, nor can they be moved out of place.

Will **conform to the most uneven ground** and can be erected over hills and through valleys as well as on level ground.

Has **no slack wires** to spoil the appearance as well as the efficiency of the fence.

Does not require an expert to erect.

Is **low in price**.

Is **now made with stay wires as large as the line wires**.

A trade winner and a great seller is the "**Pittsburgh Perfect**" **Poultry and Garden Fence**, as it has solved the problem of fencing Poultry, Horses, Hogs and Cattle with one style of fence. (See pages 19 to 23.)

THE "PITTSBURGH PERFECT" FENCE for Field, Farm, Ranch, Lawns, Corn Cribs and Poultry. Made by us exclusively.

The only "ELECTRICALLY WELDED" Steel Wire Fence.

PITTSBURGH STEEL COMPANY
PITTSBURGH, PA.

“PITTSBURGH PERFECT” FENCES


Are made out of a specially tested, heavily galvanized steel wire. The wire is made from steel of our own formula, and years of experience in fence making guarantees to you that it is the best possible material for fencing purposes.

We make our Fencing out of the following sizes of **heavily galvanized steel wires**:
REGULAR FENCE—Top and Bottom Wires No. 9, all Other Wires No. 11. **Extra Heavy Fence**—Top Wire No. 7, Bottom Wire No. 9, all Other Wires No. 10. **“Jumbo” Fence**—Top and Bottom Wires No. 9, all Other Wires No. 9. **Special “Jumbo” Fence**—Top and Bottom Wires No. 9, all Other Wires No. 9. **Razorback Hog Fence**—Top and Bottom Wires No. 9, all Other Wires No. 12. **Lawn and Corn Crib Fence**—Top and Bottom Wires No. 11, all Other Wires No. 11. **Regular Style Poultry and Garden Fence**—Top and Bottom Wires No. 10, all Other Wires No. 13. **Heavy Style Poultry and Garden Fence**—Top and Bottom Wires No. 9, all Other Wires No. 12.

More than ample provision for **expansion and contraction** is made in the tension curves and these curves in connection with our **electrically welded** stay wires insures an indestructible fence not attainable elsewhere. **We are the sole manufacturers of the “Pittsburgh Perfect” Fence.**

The stays are **electrically welded** to the strands and therefore the stay wires are **not weakened nor the galvanizing broken by twisting around the lateral wires**, and the **joint is indestructible**. There are **no exposed ends to invite rust** and **no wraps to hold moisture**, and on account of the **electrically welded** stay, the tensile strength of the fence is increased to a very great extent. On account of the construction of our fences we alone have accomplished what has long been the aim of all fence manufacturers, namely, to get a **solid steel fence** that is at the same time **adjustable to all levels and deflections**, and we therefore guarantee that it will conform to uneven and rolling ground. **No Wraps to get loose or hold moisture and rust.**


“PITTSBURGH PERFECT” FENCES




All stay wires same size as intermediate strands. See page 4.

Inasmuch as the “Pittsburgh Perfect” Fence is constructed on entirely different lines from other fences, from looking at the cuts scarcely anyone would understand how we fasten our stay wires to the strand wires.

We endeavor by means of the cuts on this page to give you an idea as to how this is done. Please note that where the wires are electrically welded **both stay and strand become**



The Weld



Sectional view—Amalgamation Perfect.
No Seam

one piece of steel and you get **double strength** at the joints.

No other fence has this advantage and this feature substantiates our claim of having **the very strongest fence** on the market, as you can readily see that no fence made out of similar size wire can possibly be as strong as ours.

Nothing but Large, Strong, Well Galvanized Steel Wires Used.

“PITTSBURGH PERFECT” FENCES

POINTS In all other fences the stays are either wrapped around the strand or clamped on with washers; therefore the stay is rubbing the strand all of the time and **peeling off the galvanizing**, causing that strand to rust. Nothing of this in the PITTSBURGH PERFECT as there are no **wraps or clamps**.

It is the Portable Fence, as it can be taken down and moved from one place to the other without the slightest injury to the material, **because the stays stay where we put them**.

See that **Joint, Stay and Strand**—one piece. Electrically Welded, the only true amalgamation of metals, and an indestructible joint, **the very best**.

Any fence with cable wires in it for strands has no provision for expansion or contraction. Dimond Mesh Fences will not conform to uneven ground.

Most of the large railroad companies, when asking for prices on fence, state that they do not want fencing that has twisted cable wires for strands. Why? Because the railroad officials know that cable wires hold moisture, thereby causing rust; that there can be no provision for expansion and contraction in cable wires, and consequently a fence made with cable wires for strands soon rusts out, breaks and is unsightly. Rather hard this, but truth, every word of it.

No small wires in the “Pittsburgh Perfect.”

“PITTSBURGH PERFECT” FENCES

SIZES OF WIRES

Name of Fence	Styles Made Shown on Pages	Top Wire	Bottom Wire	Intermediate or Line Wires	Stays or Upright Wires	Length of Rolls, Manufactured
Regular Fence.....	6, 7, 8, 9, 10, 11	No. 9	No. 9	No. 11	No. 11	10, 20, 40 R.
Extra Heavy Fence	6, 7, 8, 9, 10, 11	No. 7	No. 9	No. 10	No. 10	10 & 20 R.
“Jumbo” Fence.....	6, 7, 8, 9, 10, 11	No. 9	No. 9	No. 9	No. 9	20 Rods
Special “Jumbo” Fence	15, 16, 17, 18	No. 9	No. 9	No. 9	No. 9	20 Rods
Razorback Hog Fence.....	14	No. 9	No. 9	No. 12	No. 12	20 Rods
Lawn and Corn Crib Fence.....	25	No. 11	No. 11	No. 11	No. 11	10 Rods
Regular Poultry and Garden Fence	22, 23	No. 10	No. 10	No. 13	No. 13	10 & 20 R.
Heavy Poultry and Garden Fence	22, 23	No. 9	No. 9	No. 12	No. 12	10 & 20 R.

IMPORTANT

When ordering always give the style number of the fence you want, and be sure to state whether 6 or 12 inch stays are desired; also if REGULAR, EXTRA HEAVY, “JUMBO,” SPECIAL, “JUMBO” Farm Fence; REGULAR or HEAVY style Poultry and Garden Fence; Lawn and Corn Crib Fence; or Razorback Hog Fence.

Always state, when ordering, the size rolls wanted. Unless otherwise ordered, we ship fence in the largest size rolls we make. For size of rolls of different fences, and sizes of wires used in each, see table on this page.

"PITTSBURGH PERFECT" JUMBO AND SPECIAL JUMBO FENCES

"Pittsburgh Perfect" Jumbo Fencing is the heaviest practical wire fence fabric manufactured. The top wire is No. 9, the bottom wire is No. 9, intermediate line wires are No. 9, and stay wires are No. 9; in fact, it is an all No. 9 wire fence, welded by electricity, which produces a complete amalgamation of the wires at the joint.

Do not be deceived if you are offered fencing made with No. 9 line wires and lighter than No. 9 **stay** wires at a less price than the "Pittsburgh Perfect" Jumbo styles, but **notice carefully** that **none** of the "Pittsburgh Perfect" Fences are **made with lighter weight upright or stay wires than the wires in the intermediate strands**, which is one of the reasons that "Pittsburgh Perfect" Fences are **the strongest on the market today.**

Jumbo Fencing is made in all of the sizes of our Farm Fencing—58, 49, 41, 34, 28, 23, 55, 47, 39, 23, 26, 20 inch and in 49, 45 and 35 inch cattle fencing. All of this is made with stays 12 inches apart or 6 inches apart.

Our **Special Jumbo Fence** is made to cover a field where very heavy fence of wide mesh is desired. Special Jumbo is made with stays 16 inches apart or 8 inches apart, and is made in 58, 52, 46, 40, 34 and 28 inches. Then there is a 55 inch style which begins with a 3½ inch space at the bottom. The 48 inch and 36 inch styles are spaced 6 inches between each of the line wires all the way up. Another 55 inch fence, made up of six line wires, has four spaces of 12 inches between line wires and the bottom space is 7 inches. See cuts on pages 15, 16, 17 and 18.

In view of the special size of wire in these Jumbo Fences their practicability will appeal to thrifty users of fence who desire long life in fence fabric.

Lawn and Corn Crib Fencing on Page 25, a winner.


"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY OR "JUMBO" FENCES

Stronger at the joints than any other. All strand wires same length.

Stretches up perfectly.

List prices subject to liberal discounts.

**Smallest Wire in
"Pittsburgh Perfect"
Poultry Fence No. 13**



LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
5812	58	12	10.7	103 cts	13.7	134 cts	15.8	159 cts
4911	49	12	9.9	93 "	12.3	121 "	14.1	142 "
4110	41	12	8.6	84 "	11.1	109 "	12.6	127 "
349	34	12	7.8	75 "	9.9	97 "	11.1	112 "
288	28	12	6.8	66 "	8.7	85 "	9.7	97 "
237	23	12	5.9	59 "	7.6	75 "	8.4	85 "

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
5812	58	6	13.6	134 cts	17.4	178 cts	20.3	215 cts
4911	49	6	12.1	121 "	15.5	160 "	18.	192 "
4110	41	6	10.7	107 "	13.7	142 "	15.8	168 "
349	34	6	9.5	96 "	12.1	126 "	13.8	149 "
288	28	6	8.3	85 "	10.6	112 "	12.	130 "
237	23	6	7.3	73 "	9.1	96 "	10.2	110 "


"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY OR "JUMBO" FENCES

No moisture can accumulate.

Better Galvanized Wire than any other.

List Prices Subject to Liberal Discounts.

Lawn and Crib Fence,
Page 25,
Is Ideal for Flower Beds




LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
5511	55	12	10.1	95 cts	12.7	124 cts	14.6	146 cts
4710	47	12	9.1	85 "	11.4	112 "	13.	129 "
399	39	12	8.	76 "	10.2	99 "	11.5	114 "
328	32	12	7.2	67 "	9.	88 "	10.	99 "
267	26	12	6.1	59 "	7.8	77 "	8.6	86 "
206	20	12	5.2	49 "	6.7	67 "	7.3	72 "

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
5511	55	6	12.7	125 cts	16.3	166 cts	18.9	200 cts
4710	47	6	11.1	112 "	14.5	149 "	16.8	178 "
399	39	6	10.1	98 "	12.7	130 "	14.6	153 "
328	32	6	8.6	87 "	11.1	114 "	12.6	134 "
267	26	6	7.4	75 "	9.6	98 "	10.7	114 "
206	20	6	6.3	65 "	8.	85 "	8.9	96 "

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY OR "JUMBO" FENCES



"Pittsburgh Perfect" Special Hog Fence, Nos. 267 and 206; twenty-six or twenty inches high.


Use up your old barb wire as shown above.

Close Bottom Spaces a feature of the "Pittsburgh Perfect" Poultry Fence.

Stays stay in place. Will last a lifetime. List Prices Subject to Liberal Discounts.

LIST PRICES, 12 INCH STAYS										LIST PRICES, 6 INCH STAYS									
Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence		Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence			
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9					Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9			
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod				Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
267	26	12	6.1	59 cts	7.8	77 cts	8.6	86 cts	267	26	6	7.4	75 cts	9.6	98 cts	10.7	114 cts		
206	20	12	5.2	49 "	6.7	67 "	7.3	72 "	206	20	6	6.3	65 "	8.	85 "	8.9	96 "		

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY OR "JUMBO" FENCES



To the Man Who Uses Fencing


In order to make it convenient for the users of fencing to obtain the
"Pittsburgh Perfect"

Fence, we aim to have a first-class dealer in every town handle it and carry it in stock. Ask your dealer for it, and if he does not keep it write us direct and your wants will receive prompt and careful attention.

It is the Perfect Hog Fence. Stays cannot slip. List Prices Subject to Liberal Discounts.

LIST PRICES, 12 INCH STAYS									LIST PRICES, 6 INCH STAYS								
Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence		Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9					Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod				Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
499	49	12	8.5	82 cts	10.8	107 cts	12.2	125 cts	499	49	6	10.9	106 cts	14	143 cts	16.1	169 cts

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY OR "JUMBO" FENCES



Get prices on "Pittsburgh Perfect" Fences

The low cost will surprise you.

The best is the cheapest. This is the best and the cheapest. Electrically welded.

"Pittsburgh Perfect"
Poultry Fences are rabbit proof.

Up Hill or Down Dale. Easily Erected. List Prices Subject to Liberal Discounts.


LIST PRICES, 12 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
458	45	12	7.8	74 cts	9.8	97 cts	11.	111 cts

LIST PRICES, 6 INCH STAYS

Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
458	45	6	9.9	96 cts	12.7	129 cts	14.6	152 cts

"PITTSBURGH PERFECT" REGULAR, EXTRA HEAVY OR "JUMBO" FENCES



The fences shown on Pages 9, 10 and 11 are specially adapted to use in turning horses, obviating danger of harm from low-strung barb wires.

List Prices Subject to Liberal Discounts.

This fence is sometimes set up 10 or 12 inches from the ground; making a first-class cattle fence.

LIST PRICES, 12 INCH STAYS									LIST PRICES, 6 INCH STAYS								
Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence		Style No.	Height in Inches	Inches bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
			Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9					Top 9, Bottom 9 All other wires 11		Top 7, Bottom 9 All other wires 10		Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod				Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
356	35	12	6.	59 cts	7.6	76 cts	8.4	86 cts	356	35	6	7.9	77 cts	9.9	103 cts	11.2	119 cts

"PITTSBURGH PERFECT" FENCES

The Best, Because

1. Stays **Electrically Welded** to strands, forming a perfect union and an amalgamation with the strands not found in any other fence.
2. **All stay wires made as heavy as intermediate line wires. A fence, like a chain, is only as strong as the lightest material in it. Think this over carefully.**
3. No wraps to get loose, to hold moisture and cause rust.
4. No projections to injure stock or tear wool from sheep.
5. Stronger at the joints than any other fence. Welded together by electricity.
6. Guaranteed that the wire is not injured at the joints.
7. Guaranteed adjustable to uneven ground.
8. Guaranteed that stays will not separate from strands.
9. Guaranteed all right in every particular.
10. Made by the most modern process and on the latest improved machinery.
11. Most of the weak points in other fences are on account of the way the stays are fastened.

Our stays are amalgamated with the strands by means of electricity and the strength of the fence increased a hundredfold over the strength of a fence where the stays are wrapped or clamped on the strands.

Young Orchards thrive when fenced with our Poultry and Garden Fence. Rabbits cannot get in. (See pages 19 to 23.)

You may pay more money for other fences but you cannot get as good a fence as "Pittsburgh Perfect."

"PITTSBURGH PERFECT" RAZORBACK HOG FENCES

The "Pittsburgh Perfect" Razorback Hog Fence fills a peculiar position in the fence field. There has been a demand for **a very close mesh hog fencing** made of wires sufficiently large to **withstand hard usage**.

Our Razorback Hog Fence fills this want. The spaces at the bottom are very close, the first being $1\frac{1}{2}$ inches, the second $1\frac{1}{2}$ inches, the third 2 inches, the fourth 2 inches, the fifth $2\frac{1}{2}$ inches and the sixth 3 inches.

You will notice the **extremely close spacing between the line wires** of this fence, which makes it impossible for the smallest pigs to go through. **No other hog fence is made as close.**

Razorback Hog Fence is made with stays 12 inches apart only. The top wire is No 9, the bottom wire is No. 9, the intermediate line wires No. 12, and the stay wires No. 12. The size of this wire insures a fence which will resist attack.

Razorback Hog Fence is made in six heights, starting at 20 inches. The second height is 25 inches, the third 35 inches, the fourth 46 inches, the fifth 52 inches and the sixth 58 inches. **No better hog fence can possibly be procured** than this close spaced fence, which can be obtained at moderate price.

The Highest Perfection in Fencing. Nothing compares with that shown on page 25.


"PITTSBURGH PERFECT" RAZORBACK HOG FENCES

With the Coming of "Pittsburgh Perfect" Fences has come a better hog fence than ever before produced. Time and again farmers have sought a fence with wires close enough together to make it certain that the smallest pigs would not get through.

Their efforts have been without reward, save for light wire fences, of too small gauge for long and exacting service.

These light fences give little satisfaction and last but a short time. Soon large holes appear, and hogs run through at will.

In the "**Pittsburgh Perfect**" Razorback Hog Fence all the wires are large, the top and bottom being of the same size as top and bottom in our regular farm fences, while intermediate line wires and stay wires are of No. 12 gauge, amply heavy to resist rough usage around hog lots.




List Prices Subject to Liberal Discounts.

List Prices, 12 In. Stays Only

			Razorback Hog	
Style No.	Height in Inches	Inches bet. Stays	Top 9, Bottom 9 All other wires 12	
			Appr'x weight per rod	Price per rod
5816	58	12	10.7	118 cts
5215	52	12	10.	110 "
4614	46	12	9.4	103 "
3512	35	12	8.	87 "
2510	25	12	6.6	73 "
209	20	12	6.	65 "

"PITTSBURGH PERFECT" SPECIAL "JUMBO" FENCES


All No. 9 Heavy, Galvanized Steel wires. You know what this means when worked up into "Pittsburgh Perfect." Vicious stock no more formidable than lambs to the man or woman on the other side of the fence, today, tomorrow, forever. **A Hint**—Every diamond mesh fence on the market has more or less fine wire in its construction and **nearly every one** two strand twisted cable wires for strand wires. Fine wire soon rusts through, diamond meshes will not conform to uneven ground and twisted cable wires hold moisture which causes rust. Also, cables cannot have any provision for expansion and contraction, as one wire binds the other. **Moral—Stick to fencing which has none of the above defects.**



List Prices, 16 In. Stays					List Prices, 8 Inch Stays				
Style No.	Height in Inches	Inches bet.Stays	Special "Jumbo"		Style No.	Height in Inches	Inches bet.Stays	Special "Jumbo"	
			Top 9. Bottom 9 All other wires 9					Top 9. Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod				Appr'x weight per rod	Price per rod
5812	58	16	15.2	154 cts	5812	58	8	18.3	184 cts
5211	52	16	13.5	137 "	5211	52	8	16.6	168 "
4610	46	16	12.2	124 "	4610	46	8	14.9	151 "
409	40	16	10.9	111 "	409	40	8	13.3	135 "
348	34	16	9.6	98 "	348	34	8	11.7	118 "
287	28	16	8.3	85 "	287	28	8	10.0	102 "

“PITTSBURGH PERFECT” SPECIAL “JUMBO” FENCES

This
“Special Jumbo”
 Fence, 55 inches
 high, has small
 spaces at the bot-
 tom for hogs and
 large spaces for
 stock. It is espec-
 ially heavy, for
 hard usage.



No Wraps to Peel the Galvanizing.

Wraps and clamps are not necessary
 on any “Pittsburgh Perfect” Fence, be-
 cause electricity welds the wires at the
 joints.

**“Pittsburgh Perfect” Lawn and Corn
 Crib Fencing will not curl over.**

List Prices Subject to Liberal Discounts.

List Prices, 16 Inch Stays					List Prices, 8 Inch Stays				
Style No.	Height in Inches	Inches bet. Stays	Special “Jumbo”		Style No.	Height in Inches	Inches bet. Stays	Special “Jumbo”	
			Top 9, Bottom 9 All other wires 9					Top 9, Bottom 9 All other wires 9	
			Appr'x weight per rod	Price per rod				Appr'x weight per rod	Price per rod
5511	55	16	13.7	139 cts	5511	55	8	16.9	172 cts

“PITTSBURGH PERFECT” SPECIAL “JUMBO” FENCES


The greatest step forward in fence building was accomplished when the method of welding by electricity was discovered.

Electric welding as applied to fences, is a remarkable improvement, to be found only in “Pittsburgh Perfect.”

Take a piece to the blacksmith shop and try to “unweld” it.

List Prices Subject to Liberal Discounts.

“Pittsburgh Perfect” Poultry Fence is not a flimsy netting.



No Clipped Stays to Invite Rust.

List Prices, 16 In. Stays						List Prices, 8 In. Stays					
			Special “Jumbo”						Special “Jumbo”		
Style No.	Height in Inches	Inches bet Stays	Top 9. Bottom 9 All other wires 9			Style No.	Height in Inches	Inches bet Stays	Top 9. Bottom 9 All other wires 9		
			Appr’x weight per rod	Price per rod					Appr’x weight per rod	Price per rod	
489	48	16	11.4	116 cts.		489	48	8	14.3	144 cts	
367	36	16	8.8	90 “		367	36	8	10.9	111 “	


"PITTSBURGH PERFECT" SPECIAL "JUMBO" FENCES

Next time you use your telephone think what electricity is doing for you. How easy it is for you to talk with your neighbor or your store-keeper.

Electricity is now making for you better wire fence than you have ever bought before, because electric welding makes the wires all one piece.

List Prices Subject to Liberal Discounts.

For the King Bee of all Wire Fences see page 25.



*We make the 5 bar, 48 inch fence by leaving off bottom wire above shown.

List Prices, 16 Inch Stays					List Prices, 8 Inch Stays				
Style No.	Height in Inches	Inches bet. Stays	Special "Jumbo"		Style No.	Height in Inches	Inches bet. Stays	Special "Jumbo"	
			Top 9, Bottom 9	All other wires 9				Top 9, Bottom 9	All other wires 9
			Appr'x weight per rod	Price per rod				Appr'x weight per rod	Price per rod
556	55	16	8.9	91 cts	556	55	8	12.3	124 cts
*485	48	16	7.6	78 "	*485	48	8	10.5	106 "



The "Pittsburgh Perfect"

Poultry and Garden Fences



No other style of Poultry Fence ever offered to the fence user has become so popular on account of its great merit and low cost as the "Pittsburgh Perfect" Poultry and Garden Fence. Thousands of our patrons have satisfied themselves that it is the only fence to put up around gardens, and that it is amply strong and close enough to keep out or fence in poultry, horses, hogs, cattle or dogs.

The "Pittsburgh Perfect" Poultry and Garden Fence has solved a great problem to the entire satisfaction of all who are using it, as no other poultry fence on the market can be obtained on as economical a basis to make a hog tight as well as a chicken tight fence.

We cannot too strongly urge you not to waste your money on the light, flimsy hexagon poultry nettings, which are but makeshifts and short lived at best.

For Deer Parks no fence like the one shown on page 25.

Two 4-foot widths do the trick.

"PITTSBURGH PERFECT" POULTRY AND GARDEN FENCES

CONTINUED

REMEMBER that the "Pittsburgh Perfect" Poultry and Garden Fence is a good substantial fence, made of galvanized steel wires, the smallest of which are heavier than the wire used by most fence manufacturers for a regular stock fence.

See this fence, ask the price, and we know you will buy.

You get in the "Pittsburgh Perfect" Poultry and Garden Fence that "Perfect" galvanizing and the "Perfect" electrically welded joint and "Perfect" workmanship and, above all, a certainty of "Perfect" satisfaction if you use it. We know it is close enough at the bottom to keep in the smallest chicks, and you need no top or bottom boards. Notice the heavy wire on the top and bottom; that explains it. Notice the spacing between the horizontal wires; **nothing can get through the lower strands**, and as the spaces get wider, **they are too far from the ground for chickens to get through**. Surely it is a "Perfect" Fence, the best on the market, and the price extremely reasonable.



The "Pittsburgh Perfect"

Poultry and Garden Fence



Is **made in Five Heights**—25 inches, 35 inches, 46 inches, 52 inches, and 58 inches. Has Stay or Upright Wires 6 inches apart. Is **put up in 10 and 20 Rod Rolls**. Is **made in Two Weights** namely:

Regular Style—Top and Bottom Wire No. 10, **all** the other wires No. 13.

Heavy Style—Top and Bottom Wire No. 9, **all** the other wires No. 12.

We cannot furnish any Poultry and Garden Fence with 12 inch Stays.

Do not use a top board on the "Pittsburgh Perfect" Poultry and Garden Fence. It only gives the chickens a chance to see how high they have to fly to get over, and if you use no board they will not fly over. We put a heavy top and bottom wire on this fence so that there is no necessity for boards.

When ordering Poultry and Garden Fence **BE SURE** to state whether you want **REGULAR** or **HEAVY** style.

"PITTSBURGH PERFECT" POULTRY AND GARDEN FENCES

This cut, and the one on page 23, describe without words the poultry fence that has won the heart of the farmer and the farm wife—


"Pittsburgh Perfect."

Note how close those wires are.

Honestly, do you think chickens can go through that?

The wires are large and heavy, and the price low. List Prices Subject to Liberal Discounts.

No Fine Wires to rust out in "Pittsburgh Perfect" Poultry Fences.



The Only Electrically Welded Poultry and Garden Fence.

LIST PRICES, 6 INCH STAYS ONLY


Style No.	Height in Inches	Inches bet Stays	Regular Style		Heavy Style	
			Top 10, Bottom 10 All other wires 13		Top 9, Bottom 9 All other wires 12	
			Appr'x weight per rod	Price per rod	Appr'x weight per rod	Price per rod
5816	58	6	9.7	114 cts.	13.1	154 cts.
5215	52	6	9.2	108 "	12.1	141 "

"PITTSBURGH PERFECT" POULTRY AND GARDEN FENCES

No other poultry fence is as good as "Pittsburgh Perfect"—no other fence can be so good, because the science of electric welding is the key to the manufacture of perfect poultry fencing. The "Pittsburgh Perfect" Poultry Fence is made solely by us, and is the only poultry fence welded by electricity.

List Prices Subject to Liberal Discounts.

One Hundred Large Upright Wires in every Rod of "Pittsburgh Perfect" Lawn and Corn Crib Fence.



No Experiment—Tried, Tested and Found Superior to Any Other.

LIST PRICES, 6 INCH STAYS ONLY

Style No.	Height in Inches	Inches bet Stays	Regular Style		Heavy Style	
			Top 10, Bottom 10 All other wires 13	Price per rod	Top 9, Bottom 9 All other wires 13	Price per rod
4614	46	6	8.4	100 cts.	11.1	132 cts.
3512	35	6	7.	82 "	9.3	109 "
2510	25	6	6.1	75 "	7.0	94 "

"PITTSBURGH PERFECT" LAWN AND CORN CRIB FENCING

The Prettiest Piece of Practical Fencing Ever Made

Two inches by four inches. That is the space that is catching the eye of every fence dealer in all the territory where fences are sold. "Pittsburgh Perfect" Lawn and Corn Crib Fence is a handsome product of the fence manufacturer's art. The cut shown on page 25 gives but an inadequate idea of it.

Every wire in the "Pittsburgh Perfect" Lawn and Corn Crib Fence is of **No. 11 gauge, galvanized steel.** In the 24 inch height there are seven of these No. 11 wires running laterally and every single foot of it has six wires running from top to bottom. The 36 inch height has ten of the No. 11 wires running laterally, while the 48 inch height has thirteen lateral wires.

This Lawn and Corn Crib Fencing is all but bug proof. A small chicken can not get through it anywhere, from right at the bottom to clear up at the top. Its powerful resisting power against the attack of animals is easily apparent.

For making Corn Cribs no material in the world compares with our Lawn and Corn Crib Fencing, as it is the heaviest close mesh galvanized steel wire fabric on the market.

The wires being welded together by electricity makes it impossible for them to spread apart, consequently the corn cannot work out of the crib.

The absolutely rigid stay or upright wires in our fence stiffen the walls of your corn crib better than any other material you could possibly buy and you can put one piece on top of the other and get a more uniform, better and stronger crib with this material than it is possible for you to get without using the "Pittsburgh Perfect."

It is difficult to appreciate how far ahead of other material our "Pittsburgh Perfect" Lawn and Corn Crib Fencing is unless you have seen the goods, and we strongly urge you to investigate this material fully before buying.


"PITTSBURGH PERFECT" LAWN AND CORN CRIB FENCES

Here is a cut of the most perfect of all **Lawn and Corn Crib Fences**, the "Pittsburgh Perfect." Every space between the line wires from top to bottom is four inches, and there are almost 100 upright wires in every rod. Its being made of No. 11 wire insures great firmness of material and gives a fabric that is absolutely without peer.

This fence may be put to various uses besides the one indicated in its title. It may easily be used for tree guards, for base ball backstops, tennis courts and for small protections of various kinds. Many of these will suggest themselves to prospective purchasers.

This fencing is our very latest product, and is put on the market with the absolute assurance in advance that it will be sold in tremendous quantities.

Space between Stays slightly less than 2 inches.




List Prices Subject to Liberal Discounts.

List Prices, 2 Inch Stays Only

Style No.	Height in Inches	Inches bet. Stays	Lawn and Crib	
			Top 11, Bottom 11 All other wires 11	Price per rod
4813	48	2	23.1	300 cts
3610	36	2	17.7	230 "
247	24	2	12.2	160 "

“PITTSBURGH PERFECT” STEEL GATES



“T” Steel Frames. Strong, durable and effective. Shipped complete with latches and hinges for wooden posts. All gates covered with six inch stay “Pittsburgh Perfect” fencing. No other heights or widths than enumerated in this catalogue made by us, nor do we make gates with ornamental tops.

WALK GATES

3 ft. wide, 34, 42, 50 and 58 inches high.....	\$4.90 each
4 ft. wide, 34, 42, 50 and 58 inches high.....	5.25 each
5 ft. wide, 34, 42, 50 and 58 inches high.....	7.50 each

For walk gates covered with lawn fencing add \$1.00 to net price.

Set posts four inches farther apart than width of gate.

Unless otherwise ordered all gates will be covered with regular farm fence, stays 6 inches apart.

When gates are wanted for Poultry and Garden Fence, note that we cover only two heights with this fence, namely : 50 inch and 58 inch gates.

“PITTSBURGH PERFECT” STEEL GATES

10 feet wide, 34, 42,
50 and 58 in.
high.


\$10.50 each.

12 feet wide, 34, 42,
50 and 58 in.
high.

\$11.25 each.

For single drive
gates covered with
lawn fencing add
\$2.00 to net price.

Set posts 6 inches
farther a part
than width of gate.




“Pittsburgh Perfect” Gates are made solidly and give lasting service.

“Pittsburgh Perfect” Single Drive Gate. Weight about 110 pounds.

Unless otherwise ordered all gates will be covered with regular farm fence, stays
6 inches apart.

“PITTSBURGH PERFECT” STEEL GATES

“Pittsburgh Perfect” gates are of simple construction, are strong and durable and give lasting and satisfactory service. They are easily erected and are main-



tained without constant expense incident to other makes of gates.

“Pittsburgh Perfect” Double Drive Gate. Weight about 125 Pounds.


10 feet wide, 34, 42, 50 and 58 inches high.....\$13.90 each

12 feet wide, 34, 42, 50 and 58 inches high..... 15.00 each

For double drive gates covered with lawn fencing add \$2.00 to net price.

Unless otherwise ordered all gates will be covered with regular farm fence, stays 6 inches apart.

“PITTSBURGH PERFECT” STEEL GATES



“Pittsburgh Perfect” Steel YANKEE Gate

48 inches high—14 feet long for 14 foot opening.....\$ 9.00 each.

48 inches high—16 feet long for 16 foot opening..... 10.50 each.

For Yankee gates covered with lawn fencing add \$2.00 to net price.

These gates made to fit **opening** above mentioned. So set your posts as above indicated. Unless otherwise ordered gates will be covered with regular farm fence, stays 6 inches apart.

“PITTSBURGH PERFECT” SPECIALTIES

“Pittsburgh Perfect” Fence Tool.




Sold only in half dozen and one dozen lots.

The “Pittsburgh Perfect” Fence Tool here illustrated is without doubt the most useful fence tool on the market.

It combines hammer, wire cutter, staple and nail puller and splicing tongs.


“Pittsburgh Perfect” Single Wire Stretcher.



We recommend the “Pittsburgh Perfect” Single Wire Stretcher for finishing up the ends of our “Pittsburgh Perfect” Fencing. Between the “Pittsburgh Perfect” “Veribest” Stretcher clamps and the end post there are a few feet of fence that must be pulled up, so before removing the large wire fence stretcher, pull every strand tight and staple to end post, then remove the large stretcher. The “Pittsburgh Perfect” Single Wire Stretcher is also the Best Barb Wire Stretcher ever offered. Try it.


“PITTSBURGH PERFECT” “VERIBEST” STRETCHER

Is the simplest, cheapest, strongest and the only satisfactory tool ever gotten out that distributes the pull over the entire area of the fencing and stretches the whole width of the fencing at a time until the tension is right and fencing is taut.



We especially recommend this stretcher for stretching the “Pittsburgh Perfect” Fencing, and it will work equally as well for stretching other makes. We do not ship the wood handles with the stretcher. A hardwood stick five to seven feet long will answer the purpose fully.

“PITTSBURGH PERFECT” “VERIBEST” STRETCHER



Showing Stretcher in use.

After using this Stretcher once you will use no other.

We do not furnish handle with Stretcher—See page 31.

DIRECTIONS FOR USING "PITTSBURGH PERFECT" "VERIBEST" STRETCHER.


This stretcher pulls fence toward end post. Attach the stretcher to end post by passing the post chain through the clevis and around the post, drawing the stretcher as close as possible to the post. Attach wood clamp to fence between stay wires up close to one stay to be sure you have clamp straight on fence and with a wrench turn down the nuts until you are sure none of the wires can slip through the clamp in stretching. Bear in mind that the top and bottom wires are larger than the intermediate wires, consequently special care should be exercised in turning down the nuts good and tight, preventing the larger wires holding the clamp apart allowing intermediate wires to slip.

Attach the large hook on the stretcher chain to wooden clamp, seeing that the same number of wires are above as below stretcher chain hook, so that pull will be evenly distributed, and then attach the claw of holding bar of stretcher to chain about three links from the end. See that you have the stretcher chain perfectly straight before attaching it, so that holding bar will automatically disengage and engage with chain. After you have attached the claw of holding bar of stretcher to chain and have the large hook attached to wooden clamp and chain around post at equal distances from the ground, then attach the claw at the end of stretcher lever to second link of chain in front of claw on holding bar, when you are ready to stretch the fence.


Simply push or pull lever towards wood clamp on fence when holding bar will automatically loosen from chain, go forward and take hold of chain, then attach lever again to second link in front of claw on holding bar and proceed as before, continuing this operation until tension is right and fence is well stretched and perfectly tight. When you think you have the fence stretched up almost tight enough, make a half or three quarter stretch by pushing the lever forward far enough to insert little steel pin through hole in lever and holding bar holding the fence by lever. Then all you have to do to loosen stretcher from chain when through stretching is to push lever far enough to pull out steel pin.

With the "PITTSBURGH PERFECT" "VERIBEST" STRETCHER you can evenly distribute the pull, preventing any possibility of stretching one wire more than the other, consequently the fence will be perfectly erect after it is stretched and every wire taut. On account of the holding bar of stretcher automatically disengaging and engaging the stretcher chain it requires but one person to operate, as both hands can be on the lever in manipulating the stretcher. The stretcher is more easily operated than any other tool of its kind on the market. It has but few parts, all of which are most durable, consequently it is the simplest, cheapest, strongest and very best stretcher on the market.



"PITTSBURGH PERFECT" SPLICERS



SPLICER



READY TO SPLICE



SPLICED

Make your splices with the "PITTSBURGH PERFECT" SPLICER here illustrated. Trim the fence as indicated above. **Bring the stay wires of the two pieces of fence together to insure uniform splicing, and splice as indicated. Hog tight. Stays cannot slip.**

"PITTSBURGH PERFECT" FENCES

STARTING TO BUILD

Permanent brace panels with posts set as on page 39 should be put in about every sixty rods where the fence runs in a straight line.

After your posts are set, unroll the fence with the narrow spacings toward the posts. Now staple to end post and be careful that your stays are straight up and down, and that the fence is at least three quarters way around the post. Fasten the stretcher to the other end of the roll and get it on straight and be sure that your stretcher clamps are screwed as tight as possible. This will prevent the fence from slipping through the stretcher when the tension is put on, and saves lots of trouble. Now take up about two or three links with the stretcher and go along the fence line and put a staple on a few line wires to hold the fence in place while stretching.

When stretching, it is well to see that the fence does not bind on the posts. If it does, it can easily be remedied by catching the wire and pulling it like a bow string to keep it from cutting into the posts. In stretching over hilly places lift the fence where you want it, drive staple over wire next to top wire so that fence will pull through, you can do the same thing where there are hollows, simply pull the fence where you want it by standing on bottom wire, and put staple over next to bottom wire. When fence is tight, staple well to the brace and line posts, then, before removing the **"Pittsburgh Perfect"** **"Veribest"** Stretcher, tighten the wires between the stretcher clamp and end post.

BUILDING THE "PITTSBURGH PERFECT" FENCE

As a rule everyone appreciates the necessity of building a house or a barn well; no one would think of throwing a lot of stones in a heap and calling it a foundation, and then on top of this building their house out of the finest material that money can buy. What we want to impress on you is the fact that **we furnish you with the very best fencing material that money can buy** and consequently want you to do it justice by building it **right**; then you will have **a fence** that will last a lifetime, will be "a thing of beauty" and consequently "a joy forever." It is just as easy and a great deal more satisfactory to **build right in the first place** than it is to **not build right**.

END AND CORNER POSTS

Particular attention **must** be given to **Setting and Bracing** the **End** and **Corner** posts. If we had the space to spare in this little book we would tell you this over and over again. The life, the very existence of any fence depends largely on the End and Corner posts. On them is **all the strain**, so get **good posts** for your **Ends** and **Corners** and set them not less than three and one-half to four and one-half feet into the ground and anchor and brace as shown in cut on page 39.

BUILDING THE "PITTSBURGH PERFECT" FENCE

CONTINUED

Intermediate or Line Posts should be the **cheapest good posts obtainable**.


They really act as stays, but the real strain is on the End and Corner posts.

The Intermediate or Line posts should be set about a rod (16½ feet) apart for ordinary purposes. Some farmers set them twenty, twenty-five and up to thirty-five or forty feet apart and get good results; but for **best results** we suggest that these posts be a rod apart.

BRACING


In erecting **The Pittsburgh Perfect Fence** so that the strain caused by the curves which take care of the expansion and contraction will not in time pull the End posts out of the ground, it is necessary that you brace the End posts well. This is done by setting a post about three and one-half to four and one-half feet in the ground and about ten or twelve feet distant from the **End or Corner Post**; then brace with a piece of 4x4 timber as shown on page 39. Mortise the brace into the posts and spike well. Next take a piece of No. 7 or No. 8 Galvanized Wire, bring it around both the End post and Brace post and tie or splice the ends together. Now take a good stout stick about three feet long and twist this bracing wire as shown in cut until there is a good strain on both End and Brace posts as well as on the wooden brace. Now staple the brace wire to posts as shown in cut. This prevents the wire from slipping and the Corner or End post from turning while you are stretching your fence.

“PITTSBURGH PERFECT” FENCES



Anchor Posts in Hollows as shown above.

“PITTSBURGH PERFECT” FENCES



Set, Anchor and Brace End and Corner Posts as above indicated.

PRICE LIST TO AGENTS.

Taking effect Sept. 25, 1905. Canceling all Price Lists Dated before Sept. 25, '05.
"PITTSBURGH PERFECT" FENCING, GATES AND TOOLS.

Style No.	Cuts Shown on Page	Height in Inches	Inches Bet. Stays	Regular Fence		Ex. Heavy Fence		"Jumbo" Fence	
				Apprx wt. per rod	Price per rod	Apprx wt. per rod	Price per rod	Apprx wt. per rod	Price per rod
5812	6	58	12	10.7	103 cts	13.7	134 cts	15.8	159 cts
4911	6	49	12	9.9	93 "	12.3	121 "	14.1	142 "
4110	6	41	12	8.6	84 "	11.1	109 "	12.6	127 "
349	6	34	12	7.8	75 "	9.9	97 "	11.1	112 "
288	6	28	12	6.8	66 "	8.7	85 "	9.7	97 "
237	6	23	12	5.9	59 "	7.6	75 "	8.4	85 "
5812	6	58	6	13.6	134 "	17.4	178 "	20.3	215 "
4911	6	49	6	12.1	121 "	15.5	160 "	18.	192 "
4110	6	41	6	10.7	107 "	13.7	142 "	15.8	168 "
349	6	34	6	9.5	96 "	12.1	126 "	13.8	149 "
288	6	28	6	8.3	85 "	10.6	112 "	12.	130 "
237	6	23	6	7.3	73 "	9.1	96 "	10.2	110 "
5511	7	55	12	10.1	95 "	12.7	124 "	14.6	146 "
4710	7	47	12	9.1	85 "	11.4	112 "	13.	129 "
399	7	39	12	8.	76 "	10.2	99 "	11.5	114 "
328	7	32	12	7.2	67 "	9.	88 "	10.	99 "
267	8	26	12	6.1	59 "	7.8	77 "	8.6	86 "
206	8	20	12	5.2	49 "	6.7	67 "	7.3	72 "
5511	7	55	6	12.7	125 "	16.3	166 "	18.9	200 "
4710	7	47	6	11.1	112 "	14.5	149 "	16.8	178 "
399	7	39	6	10.1	98 "	12.7	130 "	14.6	153 "
328	7	32	6	8.6	87 "	11.1	114 "	12.6	134 "
267	8	26	6	7.4	75 "	9.6	98 "	10.7	114 "
206	8	20	6	6.3	65 "	8.	85 "	8.9	96 "
499	9	49	12	8.5	82 "	10.8	107 "	12.2	125 "
458	10	45	12	7.8	74 "	9.8	97 "	11.	111 "
356	11	35	12	6.	59 "	7.6	76 "	8.4	86 "
499	9	49	6	10.9	106 "	14.	143 "	16.1	169 "
458	10	45	6	9.9	96 "	12.7	129 "	14.6	152 "
356	11	35	6	7.9	77 "	9.9	103 "	11.2	119 "

POULTRY AND GARDEN FENCING.

				Regular Style		Heavy Style		Made with stays 6 in. apart only.
5816	22	58	6	9.7	114 cts	13.1	154 cts	
5215	22	52	6	9.2	108 "	12.1	141 "	
4614	23	46	6	8.4	100 "	11.1	132 "	
3512	23	35	6	7.	82 "	9.3	109 "	
2510	23	25	6	6.1	75 "	7.1	94 "	

LAWN AND CORN CRIB FENCING.

4813	25	48	2	23.1	300 cts	Made of all No. 11 Gal. Steel Wires. Meshes 2 in. by 4 in. The closest square meshed heavy wire fabric in the world.		
3610	25	36	2	17.7	230 "			
247	25	24	2	12.2	160 "			

The above price list applies to Fence made out of the following sizes of wire:
Regular Fence—Top and bottom wires No. 9. All other wires, both stays and strands No. 11.

Extra Heavy Fence—Top wire No. 7, Bottom wire No. 9. All other wires, both stays and strands No. 10.

Jumbo Fence—Top and bottom wires No. 9. All other wires, both stays and strands No. 9.

Poultry and Garden Fence—Regular Style, top and bottom wires No. 10. All other wires, both stays and strands No. 13. Heavy Style, top and bottom wires No. 9. All other wires, both stays and strands No. 12.

Lawn and Corn Crib Fencing—Top and bottom wires No. 11. All other wires, both stays and strands No. 11.

Weights and heights given in these price lists practically exact but very slight variations may occur, so all material is shipped at actual weights only.

PRICE LIST TO AGENTS.

(Continued from page 40.)

"PITTSBURGH PERFECT" SPECIAL JUMBO FENCING

Made of all No. 9 Galvanized Steel Wires. Notice carefully that this fence has entirely different spacings from our other fences.

Style No.	Cut Shown on Page	Height in Inches	STAYS 16 INCHES APART			STAYS 8 INCHES APART		
			Distance Between Stays	Approximate Weight per Rod	Price per Rod	Distance Between Stays	Approximate Weight per Rod	Price per Rod
5812	15	58	16	15.2	154 cts.	8	18.3	184 cts.
5211	15	52	16	13.5	137 "	8	16.6	168 "
4610	15	46	16	12.2	124 "	8	14.9	151 "
409	15	40	16	10.9	111 "	8	13.3	135 "
348	15	34	16	9.6	98 "	8	11.7	118 "
287	15	28	16	8.3	85 "	8	10.0	102 "
5511	16	55	16	13.7	139 "	8	16.9	172 "
489	17	48	16	11.4	116 "	8	14.3	144 "
367	17	36	16	8.8	90 "	8	10.9	111 "
556	18	55	16	8.9	91 "	8	12.3	124 "
485	18	48	16	7.6	78 "	8	10.5	106 "

Razor Back Hog Fence—Top and bottom wires No. 9. All other wires No. 12.

Style No.	Cut Shown on Page	Height in Inches	STAYS 12 IN. APART ONLY			NOTE:—Our Razor Back Hog Fence is made with stay wires 12 inches apart only, and has for top and bottom wires No. 9 and strand and stay wires No. 12. No other sizes of wire used in this style of fence.
			Distance Between Stays	Approximate Weight per Rod	Price per Rod	
5816	14	58	12	10.7	118 cts.	
5215	14	52	12	10.0	110 "	
4614	14	46	12	9.4	103 "	
3512	14	35	12	8.0	87 "	
2610	14	25	12	6.6	73 "	
209	14	20	12	6.0	65 "	

IMPORTANT NOTE.—In all the style numbers, the first two figures always indicate the height of the fence in inches and the figures following the first two figures indicate the numbers of bars or lateral wires in the fence; thus, style number 5812, means the fence is 58 inches high and has 12 bars or lateral wires. When ordering always give the style number of the fence you want, and be sure to state whether REGULAR, EXTRA HEAVY, "JUMBO" or SPECIAL "JUMBO" Farm Fence; or REGULAR or HEAVY POULTRY and GARDEN Fence is wanted.

Farm Fence, Regular, put up in 10, 20 and 40 Rod Rolls.

Extra Heavy Farm Fence put up in 10 and 20 Rod Rolls.

"Jumbo" and Special "Jumbo" Fence put up in 20 Rod Rolls.

Razor Back Hog Fence put up in 20 Rod Rolls.

Poultry and Garden Fence put up in 10 and 20 Rod Rolls.

Lawn and Corn Crib Fence put up in 10 Rod Roll.

LIST PRICES ON

STRETCHERS, SPLICERS, FENCE TOOLS AND GATES.

Splicers.....	\$2.00 per doz.	Fence Tools.....	\$18.00 per doz.
"Pittsburgh Perfect" Single Wire Stretcher,	\$1.50 ea.		12.00 per doz.
"Pittsburgh Perfect" "Veribest" Stretcher, without handle,	\$6.00 ea.		
WALK GATES { 3 ft. wide, 34, 42, 50 and 58 in. high.....	\$ 4.00 each		
{ 4 ft. wide, 34, 42, 50 and 58 in. high.....	5.00 "		
{ 5 ft. wide, 34, 42, 50 and 58 in. high.....	7.00 "		
SINGLE DRIVE GATES { 10 ft. wide, 34, 42, 50 and 58 in. high.....	9.00 "		
{ 12 ft. wide, 34, 42, 50 and 58 in. high.....	10.50 "		
DOUBLE DRIVE GATES { 10 ft. wide, 34, 42, 50 and 58 in. high.....	14.00 "		
{ 12 ft. wide, 34, 42, 50 and 58 in. high.....	15.00 "		
"YANKEE" GATES { 48 in. high, to fit 14 foot opening.....	9.00 "		
{ 48 in. high, to fit 16 foot opening.....	10.50 "		

Gates covered with Lawn Fencing are subject to the following additional charges to cover the cost of extra material and labor:

For Walk Gates add \$1.00 to the net price
For Drive Gates and Yankee Gates add \$2.00 to the net price

WRITE FOR DISCOUNTS.

PRICE LIST TO AGENTS.

(Continued from page 40.)

IRGH PERFECT" SPECIAL JUMBO FENCING

9 Galvanized Steel Wires. Notice carefully that this fence has entirely different spacings from our other fences.

Height in Inches	STAYS 16 INCHES APART			STAYS 8 INCHES APART		
	Distance Between Stays	Approximate Weight per Rod	Price per Rod	Distance Between Stays	Approximate Weight per Rod	Price per Rod
58	16	15.2	154 cts.	8	18.3	184 cts.
52	16	13.5	137 "	8	16.6	168 "
46	16	12.2	124 "	8	14.9	151 "
40	16	10.9	111 "	8	13.3	135 "
34	16	9.6	98 "	8	11.7	118 "
28	16	8.3	85 "	8	10.0	102 "
55	16	13.7	139 "	8	16.9	172 "
48	16	11.4	116 "	8	14.3	144 "
36	16	8.8	90 "	8	10.9	111 "
55	16	8.9	91 "	8	12.3	124 "
48	16	7.6	78 "	8	10.5	106 "

Fence—Top and bottom wires No. 9. All other wires No. 12.

	STAYS 12 IN. APART ONLY		
	Distance Between Stays	Approximate Weight per Rod	Price per Rod
58	12	10.7	118 cts.
52	12	10.0	110 "
46	12	9.4	103 "
35	12	8.0	87 "
25	12	6.6	73 "
20	12	6.0	65 "

NOTE:—Our Razor Back Hog Fence is made with stay wires 12 inches apart only, and has for top and bottom wires No. 9 and strand and stay wires No. 12. No other sizes of wire used in this style of fence.

NOTE.—In all the style numbers, the first two figures always represent the height of the fence in inches and the figures following the first two represent the number of bars or lateral wires in the fence; thus, style number 58 is 58 inches high and has 12 bars or lateral wires. When giving the style number of the fence you want, and be sure to state the name of the fence, say "IRGH PERFECT" or "SPECIAL JUMBO" FARM LAR or HEAVY POULTRY and GARDEN Fence is wanted. Regular, put up in 10, 20 and 40 Rod Rolls. Farm Fence put up in 10 and 20 Rod Rolls. Special "Jumbo" Fence put up in 20 Rod Rolls. Hog Fence put up in 20 Rod Rolls. Garden Fence put up in 10 and 20 Rod Rolls. Corn Crib Fence put up in 10 Rod Roll.

LIST PRICES ON

FIERS, SPLICERS, FENCE TOOLS AND GATES.

\$2.00 per doz. Fence Tools..... \$18.00 per doz.
 "Perfect" Single Wire Stretcher, \$1.50 ea., 12.00 per doz.
 "effect" "Veribest" Stretcher, without handle, \$6.00 ea.
 3 ft. wide, 34, 42, 50 and 58 in. high..... \$ 4.00 each
 4 ft. wide, 34, 42, 50 and 58 in. high..... 5.00
 5 ft. wide, 34, 42, 50 and 58 in. high..... 7.00
 10 ft. wide, 34, 42, 50 and 58 in. high..... 9.00
 12 ft. wide, 34, 42, 50 and 58 in. high..... 10.50
 10 ft. wide, 34, 42, 50 and 58 in. high..... 14.00
 12 ft. wide, 34, 42, 50 and 58 in. high..... 15.00
 18 in. high, to fit 14 foot opening..... 9.00
 18 in. high, to fit 16 foot opening..... 10.50

ed with Lawn Fencing are subject to the following
 arges to cover the cost of extra material and labor:
 tesadd \$1.00 to the net price
 tes and Yankee Gatesadd \$2.00 to the net price
 WRITE FOR DISCOUNTS.

STRENGTH
DURABILITY



ECONOMY

SEE THE
"PITTSBURGH PERFECT"
POULTRY & GARDEN FENCE
ON PAGES 19 TO 23